### **Supporting Information**

## Figure S1

Oscilloscope traces for CV output from the power supply with the previous (left panels) and present (right panels) systems, measured over the periods of 60 s (top row) and 2 s with proportionately finer time resolution (bottom row).

#### Figure S2

Consecutive sequences of spectral windows (90 s each) for reserpine 1+, measured using He/N<sub>2</sub> with 46.5% He and Q=0.57 L/min. The mean peak widths for runs (1 - 3) are, respectively,  $0.786\pm0.025,\,0.795\pm0.033,\,$  and  $0.772\pm0.036$  V/cm.

#### Figure S3

Measurements for Syntide 2 (3+ ion) using He/N<sub>2</sub> with 48% He and Q = 0.73 L/min: (a) full spectrum, (b) window around the peak II, (c) consecutive sequences of spectral windows (75 - 90 s each). The <w> values for runs (1 - 4) are, respectively,  $0.556 \pm 0.029$ ,  $0.535 \pm 0.043$ ,  $0.533 \pm 0.038$ , and  $0.523 \pm 0.043$  V/cm.

#### Figure S4

Consecutive sequences of spectral windows (90 s each) for Syntide 2 (3+ ion), measured using  $H_2/N_2$  with 50%  $H_2$  and Q = 0.76 L/min. The < w > values for runs (1, 2) are, respectively, 0.520  $\pm$  0.039 and 0.519  $\pm$  0.040 V/cm.

# Figure S5

Consecutive sequences of spectral windows (75 - 90 s each) for Syntide 2 (3+ ion), measured using  $H_2/N_2$  with 86%  $H_2$  and Q=2 L/min. The <w> values for runs (1, 2) are, respectively,  $0.769 \pm 0.053$  and  $0.758 \pm 0.088$  V/cm.

Fig. S1









